Biobloc Orthotropics Informed Consent

The Expancer and the Goals of Orthotropics

Impressions of your teeth will have to be made on occasion in order to make or modify your
appliances. Photos will be taken periodically as well.
You will have an appliance in your mouth on the upper teeth (the Expancer) that will move
your upper front teeth forward until they look like they are sticking out more than they are now.
There will be braces on those front teeth. This appliance will have wires that fit tightly on your teeth
to hold the appliance in. You will have to learn to put it in and out properly. Your lower teeth may
also have an appliance to move the lower front teeth forward. Sometimes teeth get sore when they
are moved and lips can get sore from the braces. Wax can work well to make lips feel better.
You (or your parent) will adjust the Expancer every day, turning a screw on the appliance that
will make your upper jaw slightly wider each day. You mustn't forget how to do this, and you must
make sure to do it every day. Sometimes a sore can form on your palate, but this is simple to fix by
an adjustment to the appliance. I will teach you or your parent how to make this adjustment, in case
it's needed.
Eating with the Expancer in your mouth will likely be difficult at first, but will get easier.
You might feel like you could eat easier without it, but you will under no circumstances be allowed to
remove the upper appliance to eat. You may, however, remove the lower appliance to eat.
Speaking with the Expancer in place can be a challenge at first. Practice will make it better,
and reading out loud might be helpful to feel comfortable. Usually that isn't necessary with the
Expancer.
You might salivate more, and feel like you have a harder time collecting your saliva at first, as
with any appliance in the mouth. This is not common.
If the Expancer or the lower appliance ever comes loose, you will need to let your parents
know right away. They'll need to bring you to me to tighten them, or else you might lose progress
you've made.
The Expancer may be removed only to clean and adjust it, usually only once a day.
When the upper teeth are in the proper position for your face, and the lower jaw is still where
it is now, they might look a little awkward. People might notice and say something to you about your
front teeth that stick out. This stage could last up to a couple months, until the Biobloc is in. At that
point, your appearance will be much better because the lower jaw will be more forward.
When the Expancer stage is done (usually about 3-5 months), the braces are removed, a
retainer is made, and your upper baby molars () may have to be removed () will have to be removed,
either in our office or by a specialist. There are separate fees that apply for this.
In order to allow the subsequent appliances to fit well on the back teeth, when the baby teeth are removed the doctor will also re-shape the gum tissue around the two permanent upper molars. It
1 0 11
would be normal to have some soreness during the healing process which pain medication should easily control.
If you see an oral surgeon or pediatric dentist for the baby tooth removal, you will have to see
Dr. Hockel the same day so we can fit you with a retainer. Even one day delay is not possible.
After the baby teeth are gone, and you're eating with your new upper retainer, chewing might
be difficult at first. Softer foods initially can help, but normal eating typically returns quickly.
Until you have your Biobloc, the upper retainer must never be out of your mouth, except for
brief cleaning.

The Biobloc

comfortably.

____ When you get your Biobloc, you will have to learn to **keep your teeth together at all times, and your lips together when you're not speaking**. That's the only way it can help you. The Biobloc will help train you on the location to hold closed, but you will have to do the work of keeping your teeth closed. This includes the times when you are speaking, when you are at school, and when you are playing. Sports or choir activities that require you to open your mouth are an exception, as is meal time. During these times, while the Biobloc is out, the retainer must be worn. At this stage of the treatment:

There must always be an appliance in the mouth, either the retainer or the Biobloc, unless you are brushing.

_____ If you do not wear your Biobloc properly, holding your teeth together, and for enough time (22 hours a day is best), your mouth posture will not improve, and your jaw growth and position will not be forward to your potential. This is your responsibility, not your parents' or your orthodontist's. _____ Our #1 goal is to help you with your mouth posture, which is not presently correct. Your mouth, teeth and lips, may be open too much, and your tongue is not habitually on the roof of your mouth. Instead, it rests or pushes against your teeth, or gets between them. The goal of Biobloc orthotropics is to help you learn to correct this. **Myofunctional therapy** may be necessary to help correct your oral posture. If you do not correct your oral posture with the Biobloc, or with the help of myofunctional therapy, if necessary, nothing will change for the better, long-term, and your jaw growth will likely continue to be more vertical (unfavorable) than horizontal (favorable).

To the degree that you correct your mouth posture long-term, your changes with this treatment will be stable.

_____ This part of the treatment, wearing the Biobloc full time, will last from 9-12 months, if you do it properly and well. If you *do not* wear it well, even if you wear it for years, your oral posture and jaw position might not improve much, if at all.

After your lower jaw has stabilized in the forw closed both day and night, you will keep wearing your permanent teeth come in Appointments with Dr. Hockel will be from 1-They will last from 15 minutes to an hour or more.	Biobloc at night for 1-3 years, as the
General Considerations	
If you schedule an appointment and are unable cancelling or rescheduling, there will typically be a chambel or loss of any appliance will result appliance, but also for the time to adjust it. Retainers If you require myofunctional therapy, it is provise located in El Granada (near Half Moon Bay) but sho office. Your times with her will be scheduled directly from the Biobloc treatment. Speech therapists and other is not in line with the Biobloc goals will not be much posture. Myofunctional therapy might cost between \$\frac{1}{2} If treatment is discontinued for whatever reason will be calculated. In some cases there may be a refurenter in, with the majority of time and value being speis paid for the doctor's care, skill and judgment, and note that the doctor's care, skill and judgment, and note that the doctor's care, made regarding the results to be on your cooperation and many factors out of the control with Biobloc treatment, we often end up with teeth. This depends on the age we begin treatment, and brought together during a braces phase, if necessary, sonoticeable. This space can be left alone, filled in with (implants, etc.) if it's large enough. We prefer the "predeficient of the control of the cont	large of at least \$50. in not only a charge not only for the new are \$250 and Bioblocs are \$300. vided for my patients by Kathy Winslow. She exchedules patients to be seen here in my with her, and the fees she charges are separate her therapists who might have an approach that help in establishing our goal of proper oral \$500 and \$1500. In, the value of the treatment provided to date and. The doctor's time and the appliance costs and in the early months of the treatment. The fee of for the result of the treatment. No promises the achieved, which will depend for the most part of the doctor. Extra space (gaps) between the upper back and other factors. The front 8 or 10 teeth can be so that the space is far enough back that it's not restorations, or even filled in by adding teeth to blem" of too much space, to not enough space not be easy, and you might feel like giving up rt you, but YOU are the one to make it work.
Patient's Signature	
Parent's Signature	Date